301 September 9, 1997

TO: 430/Project Manager, Landsat

FROM: 301/Chief, Systems Review Office

SUBJECT: Appointment of Review Team Members for the Landsat-7 Spacecraft

Pre-Environmental Review (PER), Change of Dates

The following personnel are appointed to serve as review team members for the subject review:

William Mack, Chairman

Edward Bielecki

Gustave Comeyne, Jr.

Charles Dan

Alfred Seivold

Flight Assurance
Flight Assurance
Flight Assurance
Flight Assurance

Michael Tasevoli Flight Projects

Richard Freeman Engineering Gene Gochar Engineering

The review has been rescheduled to October 8, 1997, starting at 1:00 p.m. through October 9, 1997, at 5:00 p.m. and will be held at Lockheed Martin Missles and Space in building 100, Edison Conference Room, King of Prussia, Pennsylvania. The agenda for the review and directions are enclosed.

Review team members should charge their **time to XXX-634-11-02-25** and their **travel to 301-634-11-02-25**, **object class 30-2110**. Travel requests should provide for the following signatures: In block 17, "Requesting Official," (TYPE) Mr. William F. Mack, Systems Review Manager, in addition to your supervisor's signature, and in block 18, "Authorizing Official" (TYPE) Mr. Gustave J. Comeyne, Jr., Chief, Systems Review Office.

Please forward all completed travel requests for signature to Ms. Linda Millsap in building 6, room C3. <u>Upon your return, please provide Mr. Jim Spilman/Code 300 with a copy of your travel voucher</u> after signature by your supervisor in block 14, "Approving Official." Please do not send vouchers to Code 301.

If there are any questions, please contact Linda Millsap at X6-5649.

Gustave J. Comeyne, Jr.

2 Enclosures

Review Team Members:

301/Mr. E. Bielecki

301/Mr. G. Comeyne, Jr.

301/Mr. W. Mack

301/Mr. A. Seivold

302/Mr. C. Dan

480/Mr. M. Tasevoli

700/Dr. R. Freeman

723/Mr. G. Gochar

cc:

300/Mr. C. Vanek

300/Mr. J. Spilman

300/Ms. G. Herensperger

301/Ms. L. Millsap

303/Ms. J. Buckner

400/Mr. J. Moore

700/Mr. B. Keegan